

# MARCH 2021 – BOERNE FIRE DEPARTMENT MONTHLY REPORT

- The Boerne Fire Department responded to 147 incidents for the month of March 2021, compared to 102 incidents in March 2020. Firefighters have responded to 556 incidents so far this year.
- Firefighters spent 216.36 man hours responding to incidents inside the City limits and 190.21 man hours responding to incidents outside the City limits, for a total of 406.57 hours responding to incidents in March 2021.
- Firefighters spent 26 hours in meetings and 167.75 hours in training session in March 2021.
- Firefighters have spent a total of 2627.09 hours since January 1, 2021 responding to incidents, attending meetings / training sessions, and participating in extra activities.

## City

- 0 – Mutual Aid
- 1 – Grass / Brush
- 0 – Structure
- 0 – Search
- 0 – Swiftwater Rescue
- 0 – Extrication
- 1 – Controlled Burn
- 0 – False Alarm
- 0 – Standby AirLife
- 19 – Automatic Alarm / False
- 29 – Assist EMS
- 8 – Cancelled
- 6 – Assist the Public
- 0 – Bomb Threat
- 0 – Carbon Monoxide Detector
- 5 – Vehicle Accident
- 0 – Forcible Entry
- 1 – Odor of Gas
- 0 – Hazardous Condition
- 0 – Odor of Smoke
- 0 – Special Outside Fire
- 1 – Other / Unclassified
- 15 – 1<sup>st</sup> Responder
- 1 – Fuel Spill
- 0 – Visible Smoke
- 1 – Smoke Scare
- 1 – Trash / Rubbish
- 0 – Technical Rescue / Recovery
- 0 – Utilities
- 1 – Vehicle / Equipment Fire
- 0 – Aircraft Fire
- 0 – Water Rescue
- 0 – Hazardous Materials
- 0 – Evacuation

Total March 2021 – 90 (61%)

Compared to March 2020 – 63 (62%)

## County

- 1 – Mutual Aid
- 9 – Grass / Brush
- 0 – Structure
- 0 – Search
- 0 – Swiftwater Rescue
- 0 – Extrication
- 13 – Controlled Burn
- 0 – False Alarm
- 0 – Standby AirLife
- 4 – Automatic Alarm / False
- 9 – Assist EMS
- 3 – Cancelled
- 6 – Assist the Public
- 0 – Bomb Threat
- 0 – Carbon Monoxide Detector
- 2 – Vehicle Accident
- 0 – Forcible Entry
- 0 – Odor of Gas
- 1 – Hazardous Condition
- 0 – Odor of Smoke
- 0 – Special Outside Fire
- 0 – Other / Unclassified
- 5 – 1<sup>st</sup> Responder
- 0 – Fuel Spill
- 0 – Visible Smoke
- 3 – Smoke Scare
- 0 – Trash / Rubbish
- 0 – Technical Rescue / Recovery
- 0 – Utilities
- 1 – Vehicle / Equipment Fire
- 0 – Aircraft Fire
- 0 – Water Rescue
- 0 – Hazardous Materials
- 0 – Evacuation

Total March 2021 – 57 (39%)

Compared to March 2020 – 39 (38%)

# MARCH 2021 – BOERNE FIRE DEPARTMENT MONTHLY REPORT

*Totals January 1 – 2021 – March 31, 2021*

## City

- 0 – Mutual Aid
- 3 – Grass / Brush
- 3 – Structure
- 0 – Search
- 0 – Swiftwater Rescue
- 1 – Extrication
- 5 – Controlled Burn
- 0 – False Alarm
- 0 – Standby AirLife
- 119 – Automatic Alarm / False
- 63 – Assist EMS
- 24 – Cancelled
- 24 – Assist the Public
- 0 – Bomb Threat
- 1 – Carbon Monoxide Detector
- 24 – Vehicle Accident
- 0 – Forcible Entry
- 7 – Odor of Gas
- 9 – Hazardous Condition
- 1 – Odor of Smoke
- 1 – Special Outside Fire
- 1 – Other / Unclassified
- 44 – 1<sup>st</sup> Responder
- 2 – Fuel Spill
- 0 – Visible Smoke
- 3 – Smoke Scare
- 2 – Trash / Rubbish
- 2 – Technical Rescue / Recovery
- 0 – Utilities
- 3 – Vehicle / Equipment Fire
- 0 – Aircraft Fire
- 0 – Water Rescue
- 2 – Hazardous Materials
- 0 – Evacuation

Total 2021 – 344 (62%)

Compared to 2020 – 188 (56%)

## County

- 6 – Mutual Aid
- 19 – Grass / Brush
- 4 – Structure
- 0 – Search
- 0 – Swiftwater Rescue
- 0 – Extrication
- 32 – Controlled Burn
- 0 – False Alarm
- 0 – Standby AirLife
- 22 – Automatic Alarm / False
- 41 – Assist EMS
- 10 – Cancelled
- 19 – Assist the Public
- 0 – Bomb Threat
- 0 – Carbon Monoxide Detector
- 18 – Vehicle Accident
- 0 – Forcible Entry
- 6 – Odor of Gas
- 1 – Hazardous Condition
- 2 – Odor of Smoke
- 0 – Special Outside Fire
- 0 – Other / Unclassified
- 22 – 1<sup>st</sup> Responder
- 0 – Fuel Spill
- 4 – Visible Smoke
- 3 – Smoke Scare
- 0 – Trash / Rubbish
- 0 – Technical Rescue / Recovery
- 1 – Utilities
- 2 – Vehicle / Equipment Fire
- 0 – Aircraft Fire
- 0 – Water Rescue
- 0 – Hazardous Materials
- 0 – Evacuation

Total 2021 – 212 (38%)

Compared to 2020 – 147 (44%)